

2021

Henan Simar Electronic Technology Co.,Ltd

Products : Portable Teleprompter ,Broadcast Teleprompter ,LED Studio Light , Stage Lights ,Dimmer Console ,Lithium-ion battery& charger,Studio accessories.

Add:No78 Yaochang Street,High-tech Industrial Development District ,Zhengzhou,Henan,China

Email: julin18@126.com

Whatsapp:86-15238007191

Wechat:15238007191

Facebook:<https://www.facebook.com/maria.gong.39>

<https://simarcn.en.alibaba.com>

www.simarcn.com



Company Introduction

ABOUT US

Henan Simar Electronic Technology Co.,Ltd . is professional manufacturer in production and export of Teleprompter & lighting for broadcasting, photography, video and studio stage fields.

Our products include all kinds of teleprompter LED studio light ,LED fresnel light ,LED photography light ,LED moving head light ,lithium -ion camera battery and studio accessories etc. With advanced production technology and professional team, Simar always can develop new products to meet the needs of changing markets.

At present, Simar products are sold far to Europe and America, the Middle East and Southeast Asia. Our good quality products and premium service are well acknowledge by global customers. Sincerely hope we can cooperate with each other for win-win.



CONTENTS

- 
- 01** Portable Teleprompter
T3/M-BX5 /M-BX10/M-BX15
 - 02** Broadcast Teleprompter
20/22/24 inch with 1 monitor
 - 03** Professional Teleprompter
20/22/24 inch with 2 monitor
 - 04** Presidential Teleprompter
22/24 inch speech teleprompter



Portable teleprompter T3



DSLR or smaller camcorder or
smartphone shooting and support
smartphone and max 11 inch tablet

Packing : color box

Used for : youtube ,tiktok ,interview Live stream ...etc

Packing : body +49mm ring, cellphone& tablet clamp ,cellphone
shooting clamp, cloth, cellphone shooting EVA, Remote controller, user
manual , 52mm/55mm/58mm/62mm/67mm/72mm/77mm/82mm ring





Phone teleprompter

▽
M-BX5

DSLR camera and smartphone Dual shooting

support 5 -7 inch smartphone

Material :metal +Plastic+cloth

Support Left and right mobile phone shooting or self-testing outlook .

Support upper face light or mobile phone

Professional teleprompter remoter for software . with stop ,play ,speed adjustment and turn pages up and down .

Beam splitter:60/40 or 70/30 .

Beam splitter dimmension :15.6x15.6x2mm

teleprompter size:140x230x60 mm

Net weight:1.5KG

Packing : professional color box

Material : metal +plastic+cloth

Used for : youtube ,tiktok ,interview ...etc

Includes : HD teleprompter beamsplitter ,barndoors ,phone bracket , camera bracket ,software ,manual,wireless remoter and accessories

Tablet teleprompter M-BX10

8-13 inch tablet portable teleprompter

1. It is suitable for 8-13 inch IPAD/tablet and 5-7 inch smartphone. The structure design is used in one piece structure for camera. It can be applied to all cameras, which solves the problem that the small machine can't use the professional teleprompter .

2. Professional ultra-thin 2mm optical reflection 70/30 or 60/40 beam splitter, the text is clear without ghosting, no color cast, the image is also very clear in a very bright studio environment;

3. Designed with camera height adjustment device, suitable for different size cameras and smaller size camcorder.

4. The software is simple, easy to operate. support IOS and android.

5. Bluetooth keyboard, remote control operation;

6. support different kinds of camera tripod.

7. Develop the professional remoter for teleprompter support stop ,play ,speed slowly and faster ,turn pages up and down ... etc . this avoid normal remoter working smoothly .

Includes : import HD 2mm beamsplitter glass ,high quality metal

teleprompter cap and hood , international standard 1/4 screws camera plate bracket ,flight hard packing case ,clean cloth and tools.wireless remote controller , software and manual

G.W: 7.2KGS

Packing Size: 35*38*32cm





Portable teleprompter M-BX15

8-15 inch portable teleprompter

1. It is suitable for 8-15 inch IPAD/tablet and smartphone. The structure design is used in one piece structure for camera. It can be applied to all cameras, which solves the problem that the small machine can't use the professional teleprompter .

2. Professional ultra-thin 2mm optical reflection 70/30 or 60/40 beam splitter, the text is clear without ghosting, no color cast, the image is also very clear in a very bright studio environment;

3. Designed with camera height adjustment device, suitable for different size cameras and smaller size camcorder.

4. The software is simple, easy to operate.

5. Bluetooth keyboard, remote control operation;

6. Support System: IOS or android

7. The teleprompter with 30-90 angle for your speech comfortable .

8. Develop the professional remoter for teleprompter support stop ,play ,speed slowly and faster ,turn pages up and down ... etc . this avoid normal remoter working smoothly .

Includes : import HD 2mm beamsplitter, high quality metal teleprompter hood , professional bracket , flight hard packing case , wireless remoter , software and manual

G.W: 8.5KGS

Packing Size: 47*46*20cm

Broadcast teleprompter M-ZYD20/22/24

20/22/24 inch broadcast teleprompter

1. Suitable for all kinds of stand . For example professional camera tripod or the simple large loading capacity stand.
2. Self-reversing brightness HD monitor support VGA, HDMI, AV USB interface ;
- 3.The monitor and software can support PPT ,Word ,PDF ,JPG ,RTF,TXT.and other computer-supported formats as prompt content.
4. The teleprompter with whole auto-balance by adjustment Without counter weight .
5. The teleprompter with 30-90 angle so that every speaker have a perfect comfortable angle as height .
- 6.The control mode support wireless remote control and wireless mouse and keyboard, laser pointer
7. The bracket fit for all kinds of camcorder by adjust the bracket height and place .
8. Ultra --thin 2mm imported beamsplitter, accurate beam splitting ratio 70/30 or 60/40 , clear and unbiased text, no shadow on camera shooting, making announcer's reading easy and enjoyable.
9. Simar teleprompter offer professional software and dongle .The english software offer adjusting color ,speed ,edit ,. background ... and support many languages .

Teleprompter Hood	Beam splitter	Prompter bracket	20/22/24 monitor HD
camcorder Bracket	wireless remoter	power plug	VGA or HDMI cable
software and dongle	flight hardcase	clean cloth and accessories	



Broadcast teleprompter M-ZYS20/22/24



20/22/24 inch Professional teleprompter

1. Suitable for all kinds of tripod . For example professional camera tripod and matching wheel or the simple large loading capacity tripod.
2. Self-reversing 20/22/24 inch HD monitor support VGA, HDMI, AV USB video direct input ;
- 3.The monitor and software can support PPT ,Word ,PDF ,JPG ,RTF,TXT.and other computer-supported formats as prompt content.
4. The teleprompter with whole auto-balance by adjustment Without counter weight .
5. The teleprompter with30-90 angle for each speaker have a perfect comfortable angle as height .
- 6.The control mode supports wireless remote control and wireless mouse and keyboard, laser pointer
7. The bracket fit for all kinds of camcorder by adjust the height and place .
8. Ultra --thin 2mm imported Beamsplitter, accurate beam splitting ratio 70/30 or 60/40 , clear and unbiased text, no shadow on camera shooting, making the announcer's reading easy and enjoyable.
9. Simar offer professional teleprompter software and driverdongle .The software support all kinds of language amd format .
10. The professional teleprompter have 2 HD monitor . one is with self-reversing HD monitor and talent monitor in studio .

Teleprompter hood	Beam splitter	Prompter bracket	20/22/24 self-reversing monitor
camcorder Bracket	wireless remoter	power plug	VGA or HDMI cable
software and dongle	flight hardcase	accessories	20 inch talent monitor

Presidential ConferenceTeleprompter

M-HY22/24

22/24 inch presidential and speech teleprompter

1. Adjustable stronger stand . The max height : 2m .
2. Self-reversing 1920*1080 HD monitor support USB ,VGA, HDMI, AV video direct input ;
- 3.The monitor and software can support PPT ,PDF ,JPG ,RTF,TXT.and other computer-supported formats as prompt content.
4. Super thin 2mm 60/40 or 70/30 rate beam splitter for your optional .
5. Adjust angle structure between the stand and Beamsplitter, Make sure each speaker have the perfect reading effect .
- 6.The control mode supports wireless remote controller and wireless mouse and keyboard or foot pad for your optional .
- 7.Professional teleprompter english software and dongle driver .The software support all kinds of languages as your need .

Beam Splitter	Adjust stand	monitor base	22/24 HD Monitor
manual	wireless remoter or foot pad	power plug	VGA or HDMI cable
software dongle	flight hardcase	clean cloth and accessories	



Self-reversing Monitor



High Quality Self-reversing monitor

- ◆ Don't need to adjust the Mirror function by teleprompter software . Our teleprompter host embedded in auto-mirror function .
- ◆ Support TXT,RTF,PDF,PPT,JPG ..etc file .
- ◆ The teleprompter screen adopts a wide viewing angle LED screen with 1920*1080 resolution, and the viewing angle can reach 140° horizontally and 130° vertically. At the same time, to meet the needs of different users, the teleprompter screen provides 250cd/m2 brightness standard screen and 1000cd/m2 high brightness screen. A variety of specifications for users to choose.



Multi-functional interface display

- ◆ The teleprompter screen adopts the Linux embedded integrated host display design, and provides multiple input and output interfaces such as HDMI, VGA, USB,..... etc.
- ◆ The teleprompter host is embedded in the screen, and the broadcast document can be directly read without an external computer. Notebook or desktop computer, switch to mirror mode for broadcasting, and support paper file collection to teleprompter for broadcasting.

Self-Checking Monitor



High Quality Self-Checking monitor

- ◆ Compare to self-reversing monitor ,self-checking monitor is normal display . The speaker can watch their own status at any time and let speech display the perfect video status .
- ◆ The teleprompter screen adopts a wide viewing angle LED screen with 1920*1080 resolution, and the viewing angle can reach 140° horizontally and 130° vertically. At the same time, to meet the needs of different users, the teleprompter screen provides 250cd/m2 brightness standard screen and 1000cd/m2 high brightness screen. A variety of specifications for users to choose.



Multi-functional interface display

- ◆ The teleprompter screen adopts the Linux embedded integrated host display design, and provides multiple input and output interfaces such as HDMI, VGA, USB,..... etc.
- ◆ The teleprompter host is embedded in the screen, and the broadcast document can be directly read without an external computer. Notebook or desktop computer, switch to mirror mode for broadcasting, and support paper file collection to teleprompter for broadcasting.

TELEPROMPTER SOFTWARE AND DONGLE

For 20/22/24inch



- ◆ The system supports linux, Windows 7, Windows 8 and Windows 10 systems.
- ◆ The system requires any combination of character color and background color with 256 colors. Male and female announcers can choose different background colors and character colors to facilitate male and female announcers to choose their own words, fonts and word sizes, and multiple roles are available , To distinguish between male and female roles or more broadcast roles.
- ◆ Convenient manuscript entry and editing, simple operation, automatic typesetting, supports txt, rtf, word and other format texts, and supports direct opening of pictures, word, PPT, videos and other files.
- ◆ Adopting monitor and high-resolution color display respectively, with high definition and clear writing. Can be combined with document camera to form a three-in-one type. It is suitable for the needs of recording and live broadcasting programs of various TV stations. The script is bright and clear, and supports customizing the font size, font, and color display of different roles.
- ◆ The teleprompter mirror display, built-in teleprompter host, can directly run and read the broadcast manuscript in the U disk, and can also set up an external laptop or desktop computer for broadcast use.
- ◆ Paragraph format, bullets, indentation and line spacing can all be set. Date and time are inserted into the presentation at any time.
- ◆ The software supports Chinese, Tibetan, Mongolian, Dai, Uighur, Korean and other minority languages. It also supports some foreign languages such as English, Japanese, Korean, German, Russian, French, Arabic and other national languages (some languages can be added according to customer requirements).
- ◆ The system automatically records the presentation, and when the power is turned on after an abnormal power failure, it will automatically search for and open the presentation, and ensure the integrity of the presentation.
- ◆ The relative scrolling time and current time can be displayed on the same screen, and the size and color can be set arbitrarily, which is clear at a glance and easier to grasp the rhythm; important sentences can be marked by color.
- ◆ More detailed, convenient and practical for the information bar, update time, and broadcasting speed.
- ◆ The content is updated in real time, the update process is broadcast without interruption, no flashing, and the update speed is fast.
- ◆ The control method is flexible and diverse, keyboard, mouse, and control handle are all available. The range of subtitle speed can be adjusted at will, and it is convenient to skip back and forth to turn pages. The travel speed of the announcement can be controlled by the announcer through the handle, and can be controlled by single or double , Convenient and free.

Compact professional design
for each simar teleprompter



Portable Flight
hard case packing



Popular tripod

The teleprompter fit for all kinds of tripod ,
Suggest the following model no :



Smaller tripod

This tripod mainly used for 5 inch or 10 inch teleprompter. Portable and light weight .



Lowest Price tripod


This big tripod for 15 inch 20inch or 22 inch teleprompter , Lower cost support for teleprompter but can not support camcorder together. with wheels or without wheels for optional .



Professional tripod

This professional tripod used for 20/22/24 inch teleprompter in professional studio . the camcorder can be supported with teleprompter together .

Foot Pedal




Foot pedal

Cable length:2m
Control : stop and play
Color:black
Material:ABS



Foot pedal

Cable length:2m
Control : stop and play ,scroll
Color: Grey and Yellow .
Material: Metal+ ABS



Foot pedal

Bluetooth wireless
Control : stop and play ,scroll
Color: Blue and Yellow .
Material: Metal+ABS
Power: dry cells



Simar Advantage



Simar products :

Portable Teleprompter ,Broadcast Teleprompter ,LED Studio Light , Stage Lights ,Dimmer Console ,Lithium-ion battery& charger,Studio accessories.



Experience

We are manufacturer in china and we have more than 15 years export experiences and we will try our best to offer the best service for you.




Honor

Our company won 3.15 integrity in China's trade industryenterprise。 Sincerely hope we can build up cooperation.

FACTORY SHOW

Factory picture and our studio case






All kinds of teleprompter used in our studio case

Simar Teleprompter can be used for live streaming , youtube ,tiktok ,interview ,speech ,broadcast studio ,Tv studio





2021

Thank You For Watching